

Prof. Dr. med. Thomas Ilchmann, PhD

Publikationsliste

Stepwise implementation of an enhanced recovery pathway for elective total hip arthroplasty in a Swiss hospital: a cohort study.

Heinrich S, Gratza S, Eckardt A, **Ilchmann T**.

Swiss medical weekly 2024; 154:3537.

Functional assessment of total hip arthroplasty using inertial measurement units: Improvement in gait kinematics and association with patient-reported outcome measures.

Kaufmann M, Nüesch C, Clauss M, Pagenstert G, Eckardt A, **Ilchmann T**, Stoffel K, Mündermann A, Ismailidis P. J Orthop Res. 2023 Apr;41(4):759-770.

Assessing Site Specificity of Osteoarthritic Gait Kinematics with Wearable Sensors and Their Association with Patient Reported Outcome Measures (PROMs): Knee versus Hip Osteoarthritis.

Nüesch C, Ismailidis P, Koch D, Pagenstert G, **Ilchmann T**, Eckardt A, Stoffel K, Egloff C, Mündermann A. Sensors (Basel). 2021 Aug 10;21(16):5363.

Kinematic changes in severe hip osteoarthritis measured at matched gait speeds.

Ismailidis P, Kaufmann M, Clauss M, Pagenstert G, Eckardt A, **Ilchmann T**, et al. J Orthop Res. 2021 Jun;39(6):1253-1261.

Kinematic changes in patients with severe knee osteoarthritis are a result of reduced walking speed rather than disease severity.

Ismailidis P, Egloff C, Hegglin L, Pagenstert G, Kernen R, Eckardt A, **Ilchmann T**, et al. Gait & posture 2021 Feb;84:24-30.

The incidence of noise with a new ceramic-on-ceramic bearing in hip replacement : a prospective multicenter analysis of 142 hips.

Ilchmann T, Jovanovic M, Ranke TP, Clauss M. Acta Orthop Belg 2021; 87: 8-13.

Side to side kinematic gait differences within patients and spatiotemporal and kinematic gait differences between patients with severe knee osteoarthritis and controls measured with inertial sensors.

Ismailidis P, Hegglin L, Egloff C, Pagenstert G, Kernen R, Eckardt A, **Ilchmann T**, et al. Gait & posture 2020; 84: 24-30.

Measuring gait kinematics in patients with severe hip osteoarthritis using wearable sensors.

Ismailidis P, Nüesch C, Kaufmann M, Clauss M, Pagenstert G, Eckardt A, **Ilchmann T**, et al. Gait & posture 2020; 81: 49-55.

Is cemented revision total hip arthroplasty a reasonable treatment option in an elderly population?

Born P, Manzoni I, **Ilchmann T**, Clauss M.
Orthop Rev (Pavia). 2019 Oct 2;11(3):8263.

CORR Insights(®): Tilt-adjusted Cup Anteversion in Patients with Severe Backward Pelvic Tilt is Associated with the Risk of Iliopsoas Impingement: A Three-dimensional Implantation Simulation.

Ilchmann T. Clin Orthop Relat Res. 2019 Jul;477:2255-2257.

Five-year prospective subsidence analysis of 100 cemented polished straight stems: A concise clinical and radiological follow-up observation.

Madörin K, Siepen W, Manzoni I, Stoffel KK, **Ilchmann T**, Clauss M.
Orthop Rev (Pavia). 2019 May 23;11(2):7984.

Braucht es neue Implantate?

Ilchmann, T. Leading Opinions Orthopädie 2018(4):42-45.

Midterm results of revision total hip arthroplasty with an uncemented modular femoral component.

Rieger B, **Ilchmann T**, Bolliger L, Stoffel KK, Zwicky L, Clauss M.
Hip Int. 2018 Jan;28(1):84-89.

Hüftendoprothetik bei jüngeren Patienten.

Ilchmann, T. Leading Opinions Orthopädie 2017(03):48-51.

Excellent long-term results of the Müller acetabular reinforcement ring in primary cup revision.

Mueller Greber P, Manzoni I, Ochsner PE, **Ilchmann T**, Zwicky L, Clauss M.
Acta Orthop. 2017 Dec;88(6):619-626.

CORR Insights(®): What is the Accuracy of Nuclear Imaging in the Assessment of Periprosthetic Knee Infection? A Meta-analysis.

Ilchmann T. Clin Orthop Relat Res. 2017 May;475(5):1411-3.

Rivaroxaban for Thromboprophylaxis After Nonelective Orthopedic Trauma Surgery in Switzerland.

Hoffmeyer P, Simmen H, Jakob M, Sommer C, Platz A, **Ilchmann T**, Grossen E, Ryf C, Christofilopoulos P, Schueler M, Lassen MR, Rimle M, Gasser UE.
Orthopedics. 2016 Nov 22:1-8.

Risk of infection in primary, elective total hip arthroplasty with direct anterior approach or lateral transgluteal approach: a prospective cohort study of 1104 hips.

Ilchmann T, Zimmerli W, Bolliger L, Graber P, Clauss M.
BMC Musculoskelet Disord. 2016 Nov 14;17(1):471.

Eradication of infection, survival, and radiological results of uncemented revision stems in infected total hip arthroplasties.

Born P, **Ilchmann T**, Zimmerli W, Zwicky L, Graber P, Ochsner PE, Clauss M.
Acta Orthop. 2016 Dec;87(6):637-643.

Prospective two-year subsidence analysis of 100 cemented polished straight stems - a short-term clinical and radiological observation.

Siepen W, Zwicky L, Stoffel KK, **Ilchmann T**, Clauss M.
BMC Musculoskelet Disord. 2016 Sep 17;17(1):395.

Similar effect of stem geometry on radiological changes with 2 types of cemented straight stem: The Müller stem and the Virtec stem compared in 711 hips.

Clauss M, Bolliger L, Brandenberger D, Ochsner PE, **Ilchmann T**.
Acta Orthop. 2016;87(2):120-5

Excellent long-term results of the Müller acetabular reinforcement ring in primary total hip arthroplasty: A prospective study on radiology and survival of 321 hips with a mean follow-up of 11 years.

Sirka A, Clauss M, Tarasevicius S, Wingstrand H, Stucinskas J, Robertsson O, Ochsner PE, **Ilchmann T**. Acta Orthop. 2016;87(2):100-5.

One-stage revision of infected hip arthroplasty: outcome of 39 consecutive hips.

Ilchmann T, Zimmerli W, Ochsner PE, Kessler B, Zwicky L, Graber P, Clauss M.
Int Orthop. 2016 May;40(5):913-8.

CORR Insights(®): Does Preoperative Antimicrobial Prophylaxis Influence the Diagnostic Potential of Periprosthetic Tissues in Hip or Knee Infections?

Ilchmann T. Clin Orthop Relat Res. 2016 Jan;474(1):265-6.

Metal backed fixed-bearing unicondylar knee arthroplasties using minimal invasive surgery: a promising outcome analysis of 132 cases.

Baur J, Zwicky L, Hirschmann MT, **Ilchmann T**, Clauss M.
BMC Musculoskelet Disord. 2015 Jul 31;16:177.

Früharthrose des Hüftgelenkes.

Ilchmann T. Leading Opinions Orthopädie. 2015(4).

Staphylococcal biofilm formation on the surface of three different calcium phosphate bone grafts: a qualitative and quantitative in vivo analysis.

Furustrand Tabin U, Betrisey B, Bohner M, **Ilchmann T**, Trampuz A, Clauss M.
Journal of materials science Materials in medicine. 2015;26(3):5467.

Approaches for primary total hip replacement.

Ilchmann T. Hip Int. 2014 Jun 3;24(Suppl 10).

Influence of physico-chemical material characteristics on staphylococcal biofilm formation--a qualitative and quantitative in vitro analysis of five different calcium phosphate bone grafts.

Clauss M, Furustrand Tabin U, Betrisey B, van Garderen N, Trampuz A, **Ilchmann T**, Bohner M. Eur Cell Mater. 2014 Jul 18;28:39-49.

Long-term survival and radiological results of the Duracon™ total knee arthroplasty.

Bachmann M, Bolliger L, **Ilchmann T**, Clauss M. Int Orthop. 2014 Apr;38(4):747-52.

Poor outcome of a spherical pressfit cup with a modern ceramic liner: a prospective cohort study of 181 cups.

Ilchmann T, Zwicky L, Gersbach S, Clauss M. Hip Int. 2014 Feb 14:0.

Dynamics of femoral bone remodelling in well fixed total hip arthroplasty. A 20-year follow-up of 20 hips.

Stucinskas J, Clauss M, Tarasevicius S, Wingstrand H, **Ilchmann T**. Hip Int. 2014;24(2):149-54.

Unklare Knieschmerzen nach Knie-Totalprothese bei einem Patienten mit chronischer Polyarthritits.

Moser A, **Ilchmann T**, Mendelin R, Clauss M. Praxis (Bern 1994). 2014 Jan 1;103(3):161-4.

Standard Transgluteal versus Minimal Invasive Anterior Approach in hip Arthroplasty: A Prospective, Consecutive Cohort Study.

Ilchmann T, Gersbach S, Zwicky L, Clauss M. Orthop Rev (Pavia). 2013 Nov 6;5(4).

Risk factors for aseptic loosening of Müller-type straight stems: a registry-based analysis of 828 consecutive cases with a minimum follow-up of 16 years.

Clauss M, Gersbach S, Butscher A, **Ilchmann T**. Acta Orthop. 2013 Aug;84(4):353-9.

Material and biofilm load of K wires in toe surgery: titanium versus stainless steel.

Clauss M, Graf S, Gersbach S, Hintermann B, **Ilchmann T**, Knupp M. Clin Orthop Relat Res. 2013 Jul;471(7):2312-7.

Biofilm formation by staphylococci on fresh, fresh-frozen and processed human and bovine bone grafts.

Clauss M, Tabin UF, Bizzini A, Trampuz A, **Ilchmann T**. Eur Cell Mater. 2013 Jan 30;25:159-66.

Acetabular polyethylene wear volume after hip replacement: Reliability of volume calculations from plain radiographs.

Ilchmann T, Lüem M, Pannhorst S, Clauss M. Wear. 2012 282– 283: 69– 75.

An unexpected case of lower left-side abdominal pain. Acute reactivation of chronic osteomyelitis.

Heim U, Clauss M, Graber P, **Ilchmann T**. Praxis (Bern 1994). 2012 Apr 25;101(9):603-7.

Long-term femoral bone remodeling after cemented hip arthroplasty with the Müller straight stem in the operated and nonoperated femora.

Stucinskas J, Clauss M, Tarasevicius S, Wingstrand H, **Ilchmann T**. J Arthroplasty. 2012 Jun;27(6):927-33.

SGTV – Wo stehen wir heute?

Ilchmann T, Keel MJB. Sonderheft 100 Jahre SGTV. Swiss Knife 2012.

SGTV – Ein Blick in die Zukunft?

Ilchmann T, Keel MJB. Sonderheft 100 Jahre SGTV. Swiss Knife 2012.

Influence of leg length discrepancy on clinical results after total hip arthroplasty--a prospective clinical trial.

Plaass C, Clauss M, Ochsner PE, **Ilchmann T**. Hip Int. 2011 Jul-Aug;21(4):441-9.

Infectiological, functional, and radiographic outcome after revision for prosthetic hip infection according to a strict algorithm.

De Man FH, Sendi P, Zimmerli W, Ochsner PE, **Ilchmann T**.

Acta Orthop. 2011 Feb;82(1):27-34.

Schwangerschaftsassozierte Osteoporose. Eine häufig verkannte Differentialdiagnose des „banalen“ muskulo-skelettalen Schmerzes in der Schwangerschaft und Stillzeit.

Heim U, Clauss M, Bürki N, Lutz T, **Ilchmann T**.

Orthopaede. 2010 Nov;39(11):1051-6.

The histology of the “French Paradox.” A post-mortem analysis on eight well-fixed cemented Müller straight stems with a median follow-up of 12.5 years.

Clauss M, **Ilchmann T**, Zimmermann P, Ochsner PE.

J Bone Joint Surg Br. 2010 Nov;92(11):1515-21.

Migrationsanalyse von HTP-Komponenten.

Ilchmann T. Leading Opinions Orthopädie. 2010(2):10-1.

Fixation and loosening of the cemented Muller straight stem: a long-term clinical and radiological review.

Clauss M, Luem M, Ochsner PE, **Ilchmann T**.

J Bone Joint Surg Br. 2009 Sep;91(9):1158-63.

Classification of acetabular changes in osteoarthritis: a histological and radiological analysis of 122 consecutive drill biopsies routinely taken during THA.

Clauss M, **Ilchmann T**, Zimmermann P, Schafroth MU, Lüem M, Ochsner PE.

Surg Radiol Anat. 2008 Oct;30(7):547-56.

Biofilm formation on bone grafts and bone graft substitutes: comparison of different materials by a standard in vitro test and microcalorimetry.

Clauss M, Trampuz A, Borens O, Böhner M, **Ilchmann T**.

Acta Biomater. 2010 Sep;6(9):3791-7.

Estimation of the wear volume after total hip replacement. A simple access to geometrical concepts.

Ilchmann T, Reimold M, Müller-Schauenburg W.

Med Eng Phys. 2008 Apr;30(3):373-9.

Cross pinning of supracondylar fractures from a lateral approach. Stabilization achieved with safety.

Eberhardt O, Fernandez F, **Ilchmann T**, Parsch K.
J Child Orthop. 2007 Jul;1(2):127-33.

EBRA migration patterns of the Plasmacup with ceramic or polyethylene inserts: a randomised study.

Ochs U, **Ilchmann T**, Ochs BG, Marx J, Brunnhuber K, Lüem M, Weise K.
Z Orthop Unfall. 2007 Sep-Oct;145 Suppl 1:S20-4

The M.E Müller straight stem prosthesis: 15 year follow-up. Survivorship and clinical results.

Riede U, Lüem M, **Ilchmann T**, Eucker M, Ochsner PE.
Arch Orthop Trauma Surg. 2007 Sep;127(7):587-92.

Corrective osteotomy of post-traumatic malunions and pseudarthroses in the femur using a fork plate: a prospective analysis of 23 consecutive cases.

Clauss M, **Ilchmann T**, Zimmermann P, Ochsner PE.
Unfallchirurg. 2007 Mar;110(3):205-12.

Modes of failure of a threaded acetabular cup : a radiographic study with EBRA of 42 revised cups.

Ilchmann T, Neher S, Maurer F, Weise K. Int Orthop. 2007 Apr;31(2):211-6.

Femoral subsidence assessment after hip replacement. An experimental study comparing standard measurements with EBRA-FCA.

Ilchmann T, Eingartner C, Heger K, Weise K.
Upsala J Med Sci 2006; 111(3):361-369.

Complications at pin extraction after fixation of slipped capital femoral epiphysis.

Ilchmann T, Parsch K. Arch Orthop Trauma Surg 2006; 126(6): 359-63.

Radiological behaviour of Acetabular reconstruction with the Schneider-Burch Ring. An EBRA analysis of 40 cup revisions.

Ilchmann T, Gelzer P, Winter E, Weise K. Acta Orthop Scand 2006; 77(1):79-86.

Subsidence pattern of a cementless straight titanium alloy femoral stem. A radiographic study with EBRA-FCA.

Eingartner C, **Ilchmann T**, Dieter J, Weise K. Hip Int. 2005; 15-2:85-91.

Lockerungsmechanismen bei geschraubten Hüftgelenkspfannen.

Ilchmann T, Neher S, Eingartner C, Weise K. Orthop Praxis 2003; 39-1:49-51.

Polyethylene wear in prosthetic hips with loose components.

Kesteris U, Hardinge K, **Ilchmann T**, Wingstrand H. J Arthroplasty 2003; 18(1):10-5.

The musculocutaneous sural artery flap for soft tissue coverage after calcaneal fracture.

Müller JE, **Ilchmann T**, Lowatscheff T.
Arch Orthop Trauma Surg. 2001; 121(6):350-2.

Socket wear in bilateral simultaneous total hip arthroplasty.

Joshi A, **Ilchmann T**, Markovic L. J Arthroplasty 2001; 16(1):117-20.

The repeatability of EBRA in migration and wear analysis.

Ilchmann T. Hip Int. 1999; 9: 63-6.

Polyethylene wear and calcar osteolysis.

Joshi AB, Markovic L, **Ilchmann T**. Am J Orthop 1999;28(1):45-8.

Effect of pelvic tilt on radiographic migration and wear measurements after total hip arthroplasty.

Ilchmann T, Kesteris U, Wingstrand H. Hip Int. 1998; 8-1: 16-23.

EBRA improves the accuracy of radiographic analysis of acetabular cup migration.

Ilchmann T, Kesteris U, Wingstrand H. Acta Orthop Scand 1998; 69:119-24.

Migration and wear of long term successful Charnley total hip replacements.

Ilchmann T, Markovic L, Joshi A, Hardinge K, Murphy J, Wingstrand H.
J Bone Joint Surg (Br) 1998; 80-3:377-81.

Non operative treatment versus tension band osteosynthesis in three and four-part proximal humeral fractures.

Ilchmann T, Ochsner PE, Wingstrand H, Jonsson J. Int Orthop.1998; 22: 316-20.

Radiographic assessment of cup migration and wear after hip replacement. Thesis.

Ilchmann T. Acta Orthop Scand 1997; Suppl. 276.

Polyethylene wear in Scanhip[®] arthroplasty with a 22 or 32 mm head.

Kesteris U, **Ilchmann T**, Wingstrand H, Önnarfält R.
Acta Orthop Scand 1996; 67:125-7.

Measurement accuracy in acetabular cup wear. Three retrospective methods compared with roentgen stereophotogrammetry.

Ilchmann T, Mjöberg B, Wingstrand H. J Arthroplasty 1995; 10:636-42.

Accuracy of the Nunn method in measuring acetabular cup migration.

Ilchmann T, Freeman MAR, Mjöberg B. Upsala J Med Sci. 1992; 97: 67-8.

Measurement accuracy in acetabular cup migration. A comparison of four radiologic methods versus roentgen stereophotogrammetric analysis.

Ilchmann T, Franzén H, Mjöberg B, Wingstrand H. J Arthroplasty 1992; 7: 121-7.

Zuggurtungsteosynthesen mit resorbierbaren Kordeln bei proximalen
Humerusmehrfragmentbrüchen.
Ochsner P.E, **Ilchmann T.** Unfallchirurg 1991; 94: 588-90.

Buchbeiträge

Revisionsendoprothetik: Implantation von Abstützschalen.

In: Referenz Orthopädie und Unfallchirurgie – Becken und Hüfte (ISBN 9783132435421) **Ilchmann T.** 2023 Thieme 19.8; 655-9.

Bone grafts and infected bone graft substitutes in infected arthroplasty.

In: Infected Joint Arthroplasty. The algorithmic approach.

Rihard Trebse (Hrsg.). Clauss M, **Ilchmann T.** 2013 Springer 291-6.

Pressfit Cup Migration Patterns of Ceramic-Ceramic or Ceramic-Polyethylene Articulation: A Prospective Randomised EBRA Study with Plasmacup.

In: The Bicontact Hip Arthroplasty System 1997 – 2007.

Weller et al (Hrsg.). Ochs U, **Ilchmann T**, Ochs BG, Marx J, Brunnhuber K, Lüem M, Weise K. 2008, Thieme, Stuttgart: 81 – 86.

Pfannenwanderung bei Schraubpfannen.

In: Die Schraubpfannen. Effenberger (Hsg.). **Ilchmann T.** 2004; MCU, Linz: 139-42.

Migration of cups with PE-liners and ceramic liners: a clinical study with PLASMACUP.

In: Bioceramics in joint arthroplasty: Proceedings 7th international BIOLOX symposium March 2002.

Garino J, Willmann G (Hrsg.). **Ilchmann T**, Marx J, Winter E.

Thieme Stuttgart, New York: 86-88.

A modular system for cemented and cementless implantation of femoral stem prostheses.

In: Surgical technology international VII; Orthopedic Surgery.

Szabó Z, Lewis JE, Fantini GA, Savalgi RS (Hrsg.). Eingartner C, Volkmann R,

Ilchmann T, Weise K, Weller S. 1998; New Haven, Connecticut: 353-60.

Die Adaptiva-Individual-Prothese. Klinische Frühergebnisse mit einer angepaßten zementfreien Femurschaftprothese.

In: Praktische Orthopädie 1997, Rheumatologie-Endoprothetik.

Küßwetter W, **Ilchmann T**, Janssen P, Kirschbaum S. Thieme, Stuttgart, New York: 15-24.